Generate Collection

Print

L5: Entry 16 of 35

File: DWPI

Feb 5, 1998

DERWENT-ACC-NO: 1998-130344

DERWENT-WEEK: 200036

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Low calorie, diabetic safe, water soluble, synergistic sweetening composition - comprises intense sweeteners, bulk sweeteners, sweeteners and anti-flatulent and flavouring agents

INVENTOR: BATEMAN, K A

PATENT-ASSIGNEE: BATEMAN K A (BATEI)

PRIORITY-DATA: 1996US-0687894 (July 26, 1996)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
WO 9804156 A1	February 5, 1998	E	053	A23L001/236
EP 1018895 A1	July 19, 2000	E	000	A23L001/236
AU 9739686 A	February 20, 1998		000	A23L001/236

DESIGNATED-STATES: AL AU BA BB BG BR CA CN CU CZ EE GE HU IL IS JP KE KP KR KZ LC LK LR LT LV MG MK MN MW MX NO NZ PL RO SD SG SI SK TR TT UA UG UZ VN YU ZW AT BE CH DE DK EA ES FI FR GB GH GR IE IT KE LS LU MC MW NL OA PT SD SE SZ UG ZW DE FI GB IE SE

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
WO 9804156A1	July 25, 1997	1997WO-US13526	
EP 1018895A1	July 25, 1997	1997EP-0937085	
EP 1018895A1	July 25, 1997	1997WO-US13526	
EP 1018895A1		WO 9804156	Based on
AU 9739686A	July 25, 1997	1997AU-0039686	
AU 9739686A		WO 9804156	Based on

INT-CL (IPC): A23 L 1/236

ABSTRACTED-PUB-NO: WO 9804156A

BASIC-ABSTRACT:

Low calorie, diabetic safe, water soluble, synergistic sweetening composition in whole as one-to-one for granulated sugars, brown sugars, and powdered sugars for sweetening ingestible <u>food</u> comprises: (a) 0.001-8 wt.% at least 1 intense sweetener; (b) 0.5-99 wt.% at least 1 bulk sweetener; (c) 1-15 wt.% at least 1 sweetener; (d) 0.001-5 wt.% at least 1 anti-flatulent agent and (e) 0.0001-5 wt.% at least 1 flavouring agent. Also claimed is the production of the composition which comprises: (a) preparing a diluted mixture of intense sweeteners and water at a correct

Generate Collection

Print

L5: Entry 34 of 35

File: DWPI

Jun 30, 1984

DERWENT-ACC-NO: 1984-198539

DERWENT-WEEK: 198432

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Carbohydrate food increasing blood sugar content - obtd. by adding

polysaccharide to carbohydrate food

PATENT-ASSIGNEE: ENDO A (ENDOI)

PRIORITY-DATA: 1983JP-0186305 (December 22, 1982), 1981JP-0033513 (March 9, 1981)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

JP 59113856 A

June 30, 1984

005

APPLICATION-DATA:

PUB-NO

APPL-DATE

APPL-NO

DESCRIPTOR

JP 59113856A

December 22, 1982

1983JP-0186305

INT-CL (IPC): A23L 1/00

RELATED-ACC-NO: 1982-89076E

ABSTRACTED-PUB-NO: JP 59113856A

BASIC-ABSTRACT:

Carbohydrate <u>food</u> is prepd. by combining the polysaccharide selected from indigestible polysaccharides and their derivs. produced by microbes, in the carbohydrate <u>food</u> which raises blood sugar content. As indigestible polysaccharides, glucans partic. those having alpha-1,6-bond such as <u>dextran</u>, pullulan, mutan, the partial hydrolysate of dextran, i-maltose, i-maltotriose, etc. can be used.

USE/ADVANTAGE - Excess ingestion of the carbohydrate <u>foods</u> of digestible carbohydrates such as starch, sucrose, etc., causes not only metabolic diseases such as the rise in blood sugar content, <u>diabetes</u>, corpulence, etc., but also disorders of digestive organs. By combining the indigestible polysaccharide produced by microbes, in the carbohydrate <u>food</u>, the rise of blood sugar content can be suppressed.

ABSTRACTED-PUB-NO: JP 59113856A

EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.0/0

DERWENT-CLASS: D13

CPI-CODES: D01-B01; D03-E; D06-H;

End of Result Set

☐ Generate Collection Print

L5: Entry 35 of 35

File: DWPI

Feb 5, 1977

DERWENT-ACC-NO: 1977-19276Y

DERWENT-WEEK: 197711

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Foodstuffs acceptable for diabetics - contg. triheptanoin or trinonanoin

additives which do not increase body sugar levels

PATENT-ASSIGNEE: AJINOMOTO KK (AJIN)

PRIORITY-DATA: 1975JP-0085457 (July 12, 1975)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES

MAIN-TPC

JP 52015834 A

February 5, 1977

000

INT-CL (IPC): A23D 3/00; A23L 1/34; A61K 31/22

ABSTRACTED-PUB-NO: JP 52015834A

BASIC-ABSTRACT:

 $\underline{\text{Foods}}$ compsns. contain triheptanoin or trinonanoin alone or as a mixt. in an amt. of >=30 wt% wt solid content of food.

Triheptanoin or trinonanoin may be prepd. by a known synthetic or semi-synthetic method or triglyceride formation from heptanoic acid or nonanoic acid. These additives are not necessarily pure e.g. may contain a small amt. of fatty acids. The food stuff used may include proteins (e.g. milk casein, soybean protein), oils (e.g. soybean oil, sunflower oil, corn oil), carbohydrates (e.g. glucose, fructose, maltose, sucrose, dextrin, corn starch, xylitol, sorbitol), vitamins and minerals.

The compsns. do not produce excess ketones aggrevating the condition of <u>diabetes</u>. They are readily absorbed from the digestive organ to supply calorie source without participation of <u>insulin</u>, prevent disintegration of body protein, decreases the blood sugar level, decrease the urinary sugar, and improve the condition of <u>diabetes</u>.

ABSTRACTED-PUB-NO: JP 52015834A

EQUIVALENT-ABSTRACTS:

DERWENT-CLASS: D13 CPI-CODES: D03-H01;

☐ Generate Collection

Print

L5: Entry 9 of 35

File: DWPI

Jan 2, 2002

DERWENT-ACC-NO: 2002-197394

DERWENT-WEEK: 200226

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Sugar decomposition inhibitor useful as, e.g. medicines, quasi drugs, foods

and healthy beverages or feeds, comprises hot-water extract of banaba

INVENTOR: HAYASHI, K; KAKUDA, T; SAKANE, I; SUZUKI, Y

PATENT-ASSIGNEE: ITO EN LTD (ITOEN)

PRIORITY-DATA: 2000JP-0194068 (June 28, 2000)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
EP 1166790 A1	January 2, 2002	E	021	A61K035/78
JP 2002012547 A	January 15, 2002		012	A61K035/78
US 20020018818 A1	February 14, 2002		000	A61K035/78

DESIGNATED-STATES: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI TR

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
EP 1166790A1	June 27, 2001	2001EP-0115510	
JP2002012547A	June 28, 2000	2000JP-0194068	
US20020018818A1	June 26, 2001	2001US-0888448	

INT-CL (IPC): A23 L $\frac{1}{30}$; A23 L $\frac{1}{48}$; A23 L $\frac{2}{00}$; A23 L $\frac{2}{02}$; A23 L $\frac{2}{38}$; A23 L $\frac{2}{38}$; A23 L $\frac{2}{52}$; A61 K $\frac{35}{78}$; A61 P $\frac{3}{08}$; A61 P $\frac{43}{00}$; C12 N $\frac{9}{99}$

ABSTRACTED-PUB-NO: EP 1166790A BASIC-ABSTRACT:

NOVELTY - A sugar decomposition inhibitor comprises a mixture of hot-water extract of banaba and synthetic resin adsorption fraction of banaba. The synthetic resin adsorption fraction of banaba is obtained by adsorbing the hot-water extract of banaba with styrene-divinylbenzene series synthetic resin or dextran series synthetic resin.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for a healthy $\underline{\text{food}}$ and beverage produced by adding a hot-water extract of banaba and sugar except $\overline{\text{for}}$ monosaccharides.

ACTIVITY - Antidiabetic. Wistar-type male rats were made to fast for 18 hours and administered by mouth with a mixture of sugar solution and solution of HWE of banaba

at a rate of 500 mg/kg at the same time. The blood sugar showed a higher difference value after 60 minutes of administering when compared with the reference group.

MECHANISM OF ACTION - Maltase activity inhibitor; glucoamylase activity inhibitor; sucrase activity inhibitor; isomaltase activity inhibitor; insulin secretion controller.

USE - The inventive sugar decomposition inhibitor is useful as medicines, quasi drugs, <u>foods</u> and healthy beverages, <u>food</u> additives, feeds, and feed additives. It is useful in treating and preventing <u>diabetes</u> and fatness, as well as heart tract system diseases e.g., myocardial infarction, arteriosclerosis, and hypertension, the skin diseases e.g., black heads, pimples, and other disease inflammations, which are caused by supernutrition.

ADVANTAGE - The inventive sugar decomposition inhibitor hinders digestion and absorption of sugar e.g., starch, glycogen, oligosaccharide, sucrose, and maltose, thus restraining the rapid increase in blood sugar level after a meal. It is made of safe component (i.e., banaba), which has been used habitually from old times in the Philippines and other countries. The <u>food</u> or beverage containing this sugar decomposition inhibitor can gradually perform the dieting while maintaining health without excessive dieting e.g., fasting.

ABSTRACTED-PUB-NO: US20020018818A EQUIVALENT-ABSTRACTS:

NOVELTY - A sugar decomposition inhibitor comprises a mixture of hot-water extract of banaba and synthetic resin adsorption fraction of banaba. The synthetic resin adsorption fraction of banaba is obtained by adsorbing the hot-water extract of banaba with styrene-divinylbenzene series synthetic resin or <u>dextran</u> series synthetic resin.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for a healthy <u>food</u> and beverage produced by adding a hot-water extract of banaba and sugar except for monosaccharides.

ACTIVITY - Antidiabetic. Wistar-type male rats were made to fast for 18 hours and administered by mouth with a mixture of sugar solution and solution of HWE of banaba at a rate of 500 mg/kg at the same time. The blood sugar showed a higher difference value after 60 minutes of administering when compared with the reference group.

MECHANISM OF ACTION - Maltase activity inhibitor; glucoamylase activity inhibitor; sucrase activity inhibitor; isomaltase activity inhibitor; insulin secretion controller.

USE - The inventive sugar decomposition inhibitor is useful as medicines, quasi drugs, \underline{foods} and healthy beverages, \underline{food} additives, feeds, and feed additives. It is useful in treating and preventing $\underline{diabetes}$ and fatness, as well as heart tract system diseases e.g., myocardial infarction, arteriosclerosis, and hypertension, the skin diseases e.g., black heads, pimples, and other disease inflammations, which are caused by supernutrition.

ADVANTAGE - The inventive sugar decomposition inhibitor hinders digestion and absorption of sugar e.g., starch, glycogen, oligosaccharide, sucrose, and maltose, thus restraining the rapid increase in blood sugar level after a meal. It is made of safe component (i.e., banaba), which has been used habitually from old times in the Philippines and other countries. The <u>food</u> or beverage containing this sugar decomposition inhibitor can gradually perform the dieting while maintaining health without excessive dieting e.g., fasting.

CHOSEN-DRAWING: Dwg.0/8

DERWENT-CLASS: A97 D13

CPI-CODES: A03-A00A; A04-B10; A04-C04; A12-M; A12-W09; D03-H01Q; D03-H01T2;

strength needed for the composition; (b) spraying the diluted mixture over bulk sweeteners; (c) drying the mixture; (d) mixing the bulk sweeteners and intense sweeteners in a drum mixer for 20 min until completely dispersed; (e) adding intense sweeteners, adding flavour enhancer and anti-flatulent agent to bulk sweeteners and intense sweeteners and mixing until completely dispersed and (f) pouring the finished mixture into airtight packaging and sealing.

The intense sweeteners preferably comprise aspartame, acesulfame-K, thaumatin, talin, arabic gum, saccharin, cyclamate, stevioside, glycyrrhizin, dihydrochalcones, monellin, chlorohydroxygalactosucrose derivatives and/or liquorice extract. The bulk sweeteners comprise inulin, branched inulin, linear or branched fructo-oligosaccharides, lactitol, maltitol, mannitol, sorbitol, erythritol, galactitol, isomaltulose, polyglucose, polymaltose, carboxymethylcellulose, carboxyethyl cellulose, arabinogalactan, microcrystalline cellulose, polydextrose, plalatinit and/or indigestible dextrins, especially inulin).

USE - The composition is a one-to-one substitution for granulated, brown and powdered sugars and can be used in all types of ingestible <u>foods</u> including beverages, confectioneries, chocolates and candies, bakery products, pharmaceuticals, main and side dishes, salad dressings, dairy products, oral hygiene products, jams and jellies.

ADVANTAGE - The composition is stable under processing conditions including heat, pH and moisture. The ingestible $\underline{\text{foods}}$ retain their sweetness, appearance, texture and good taste when compared to $\underline{\text{foods}}$ made with regular granulated, brown or powdered sugar. The composition has at least 50% less calories than sucrose and has high dietary fibre and is tooth friendly. The ingredients provide health benefits.

ABSTRACTED-PUB-NO: WO 9804156A EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.0/0

DERWENT-CLASS: A96 A97 B07 D13 D21 E19 CPI-CODES: A12-W09; B04-Ç02; B04-C03D; B10-A07; B14-E10; B14-S09; D03-H01A; D08-A;

E06-F01; E07-A02; E10-A07; E10-B02D5;